



APPROVED TYRE CHART



APPROVED TYRE CHART



Please select model

| | | |
|-----------------|--------------|-------------------|
| America | Rocket III | Thunderbird |
| Adventurer | Scrambler | Thunderbird Sport |
| Bonneville | Speed Four | Tiger |
| Bonneville T100 | Speedmaster | Trident |
| Daytona | Speed Triple | Trophy |
| Legend TT | Sprint | TT600 |
| | Thruxton | |



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



Please select model

Daytona 675

Daytona 650

Daytona 600

Daytona 750

Daytona 900

Daytona 955i up to VIN 132512

Daytona 955i from VIN 132513

Daytona 1000

Daytona 1200

Daytona Super III



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



Please select model

Daytona 955i from VIN 132513 with double sided swinging arm

Daytona 955i from VIN 132513 with single sided swinging arm



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



Please select model

Sprint ST

Sprint RS

Sprint (Carbs)



Warning

Use the recommended tyres **ONLY** in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



Please select model

Sprint ST 1050cc

Sprint ST up to VIN 139276

Sprint ST from VIN 139277



Warning

Use the recommended tyres **ONLY** in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



Please select model

Sprint RS up to VIN 139276

Sprint RS from VIN 139277



Warning

Use the recommended tyres **ONLY** in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



Please select model

Speed Triple 750

Speed Triple 885

Speed Triple 900

Speed Triple 955 up to VIN 141871

Speed Triple 955 from VIN 141872

Speed Triple 1050cc



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



Please select model

Tiger 900 up to VIN 71698

Tiger 900 from VIN 71699

Tiger 955cc up to VIN 198874

Tiger 955cc from VIN 198875



Warning

Use the recommended tyres **ONLY** in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



Please select model

Adventurer up to VIN 71698

Adventurer from VIN 71699



Warning

Use the recommended tyres **ONLY** in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



Please select model

Speedmaster 790cc

Speedmaster 865cc



Warning

Use the recommended tyres **ONLY** in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



Trophy 900 & 1200

| Manufacturer | Front | Size | Rear | Size | Model Year |
|--------------|-------------|-----------|-------------|-----------|-------------|
| Dunlop | K455A | 120/70-17 | K455A | 160/60-18 | 1991 - 1993 |
| Metzeler | ME1 MBS | 120/70-17 | ME1 MBS | 160/60-18 | 1991 - 1992 |
| Michelin | A59X | 120/70-17 | M59X | 160/60-18 | 1991 - 1993 |
| Bridgestone | BT50F | 120/70-17 | BT50R | 160/60-18 | 1993 |
| Dunlop | D202J | 120/70-17 | D202G | 170/60-17 | 1994 - 1995 |
| Michelin | A89X | 120/70-17 | A89X | 170/60-17 | 1994 |
| Bridgestone | BT54F | 120/70-17 | BT54R | 170/60-17 | 1995 on |
| Pirelli | MTR03 | 120/70-17 | MTR04 | 170/60-17 | 1995 on |
| Metzeler | MEZ1F | 120/70-17 | MEZ2 | 170/70-17 | 1995 on |
| Michelin | Macadam 90X | 120/70-17 | Macadam 90X | 170/60-17 | 1996 on |



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



Thunderbird

| Manufacturer | Front | Size | Rear | Size | Model Year |
|--------------|-------------|-----------|--------------|-----------|-------------|
| Michelin | A89X | 110/80-18 | M89X | 160/80-15 | 1995 - 1998 |
| Avon | AV27 | 110/80-18 | Elan II RL30 | 160/80-15 | 1995 on |
| Dunlop | K105F | 110/80-18 | K700J | 150/80-15 | 1995 - 1998 |
| Michelin | Macadam 90X | 110/80-18 | Macadam 90X | 150/80-15 | 1999 on |
| Pirelli | MTR03 | 110/80-18 | MTR04 | 150/80-15 | 1999 on |



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



Adventurer up to VIN 71698

| Manufacturer | Front | Size | Rear | Size | Model Year |
|--------------|-------|-----------|--------------|-----------|-------------|
| Avon | AV27 | 110/80-18 | Elan II RL30 | 160/80-16 | 1996 - 1998 |
| Michelin | A89X | 110/80-18 | M89X | 160/80-16 | 1996 - 1998 |
| Dunlop | K105F | 110/80-18 | K700J | 160/80-16 | 1996 - 1998 |



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



Adventurer from VIN 71699

| Manufacturer | Front | Size | Rear | Size | Model Year |
|--------------|------------|-----------|------------|-----------|------------|
| Michelin | Macadam 50 | 100/90-19 | Macadam 50 | 150/80-16 | 1999 on |
| Metzeler | ME33 | 100/90-19 | MEZ2 | 150/80-16 | 1999 on |



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



Bonneville

| Manufacturer | Front | Size | Rear | Size | Model Year |
|--------------|------------|-----------|------|-----------|------------|
| Bridgestone | BT45 | 100/90-19 | BT45 | 130/80-17 | 2001 on |
| Metzeler | ME33 Lazer | 100/90-19 | MEZ2 | 130/80-17 | 2001 on |



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



Bonneville T100

| Manufacturer | Front | Size | Rear | Size | Model Year |
|--------------|------------|-----------|------|-----------|------------|
| Metzeler | ME33 Lazer | 100/90-19 | MEZ2 | 130/80-17 | 2001 on |



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



America

| Manufacturer | Front | Size | Rear | Size | Model Year |
|--------------|-------|-----------|-------|-----------|------------|
| Bridgestone | L303 | 3.50-18 | G456 | 170/80-15 | 2002 on |
| Metzeler | ME33T | 110/80-18 | ME880 | 170/80-15 | 2002 on |



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



Speed Four

| Manufacturer | Front | Size | Rear | Size | Model Year |
|--------------|-------------|-----------|-------------|-----------|------------|
| Bridgestone | BT010 | 120/70-17 | BT010 | 180/55-17 | 2002 on |
| Michelin | Pilot Sport | 120/70-17 | Pilot Sport | 180/55-17 | 2002 on |
| Pirelli | Dragon Evo | 120/70-17 | Dragon Evo | 180/55-17 | 2002 on |



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



Speedmaster 790cc

| Manufacturer | Front | Size | Rear | Size | Model Year |
|--------------|-------|-----------|-------|-----------|------------|
| Metzeler | ME33T | 110/80-18 | ME880 | 170/80-15 | 2003 on |



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



Speedmaster 865cc

| Manufacturer | Front | Size | Rear | Size | Model Year |
|--------------|----------|-----------|-------|-----------|------------|
| Metzeler | Lazertec | 110/80-18 | ME880 | 170/80-15 | 2004 on |



Warning

Use the recommended tyres **ONLY** in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



Daytona 600

| Manufacturer | Front | Size | Rear | Size | Model Year |
|--------------|--------------|-----------|--------------|-----------|------------|
| Pirelli | Diablo T 58W | 120/70-17 | Diablo T 73W | 180/55-17 | 2004 on |
| Bridgestone | BT012 | 120/70-17 | BT012 | 180/55-17 | 2004 on |
| Metzeler | Sportec M1 | 120/70-17 | Sportec M1 | 180/55-17 | 2004 on |
| Michelin | Pilot Sport | 120/70-17 | Pilot Sport | 180/55-17 | 2004 on |



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



Daytona 650

| Manufacturer | Front | Size | Rear | Size | Model Year |
|--------------|--------------|-----------|--------------|-----------|------------|
| Pirelli | Diablo T 58W | 120/70-17 | Diablo T 73W | 180/55-17 | 2004 on |
| Bridgestone | BT012 | 120/70-17 | BT012 | 180/55-17 | 2004 on |
| Metzeler | Sportec M1 | 120/70-17 | Sportec M1 | 180/55-17 | 2004 on |
| Michelin | Pilot Sport | 120/70-17 | Pilot Sport | 180/55-17 | 2004 on |



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



Sprint ST up to VIN 139276

| Manufacturer | Front | Size | Rear | Size | Model Year |
|--------------|-------|-----------|-------|-----------|-------------|
| Bridgestone | BT57G | 120/70-17 | BT57G | 180/55-17 | 1999 - 2001 |
| Michelin | 90X | 120/70-17 | 90X | 180/55-17 | 1999 - 2001 |



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



Sprint RS up to VIN 139276

| Manufacturer | Front | Size | Rear | Size | Model Year |
|--------------|-------|-----------|-------|-----------|-------------|
| Bridgestone | BT020 | 120/70-17 | BT020 | 180/55-17 | 2000 - 2001 |
| Michelin | 90X | 120/70-17 | 90X | 180/55-17 | 2000 - 2001 |
| Bridgestone | BT57G | 120/70-17 | BT57G | 180/55-17 | 2000 - 2001 |



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



Sprint ST 955cc from VIN 139277

| Manufacturer | Front | Size | Rear | Size | Model Year |
|--------------|-------|-----------|-------|-----------|------------|
| Bridgestone | BT57G | 120/70-17 | BT57G | 180/55-17 | 2002 on |
| Bridgestone | BT010 | 120/70-17 | BT010 | 180/55-17 | 2002 on |
| Michelin | 100X | 120/70-17 | 100X | 180/55-17 | 2002 on |



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



Sprint RS from VIN 139277

| Manufacturer | Front | Size | Rear | Size | Model Year |
|--------------|-------|-----------|-------|-----------|-------------|
| Bridgestone | BT020 | 120/70-17 | BT020 | 180/55-17 | 2002 - 2003 |
| Bridgestone | BT010 | 120/70-17 | BT010 | 180/55-17 | 2002 on |
| Michelin | 100X | 120/70-17 | 100X | 180/55-17 | 2002 on |
| Bridgestone | BT57G | 120/70-17 | BT57G | 180/55-17 | 2003 on |



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



TT600

| Manufacturer | Front | Size | Rear | Size | Model Year |
|--------------|-------------|-----------|-------------|-----------|------------|
| Bridgestone | BT010 | 120/70-17 | BT010 | 180/55-17 | 2000 on |
| Michelin | Pilot Sport | 120/70-17 | Pilot Sport | 180/55-17 | 2000 on |
| Pirelli | Dragon Evo | 120/70-17 | Dragon Evo | 180/55-17 | 2000 on |



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



Daytona 955i up to VIN 132512

| Manufacturer | Front | Size | Rear | Size | Model Year |
|--------------|---------------|-----------|---------------|-----------|------------|
| Bridgestone | BT56 | 120/70-17 | BT 56 | 190/50-17 | 1997 on |
| Michelin | TX15 Hi Sport | 120/70-17 | TX25 Hi Sport | 190/50-17 | 1997 on |
| Metzeler | RCG | 120/70-17 | RCG | 190/50-17 | |
| Michelin | TX15 | 120/70-17 | TX25 | 190/50-17 | 1999 on |
| Pirelli | MTR01 Corsa | 120/70-17 | MTR02 Corsa | 190/50-17 | 1997 on |



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



Speed Triple 885 & 955 up to VIN 141871

| Manufacturer | Front | Size | Rear | Size | Model Year |
|--------------|---------------|-----------|---------------|-----------|------------|
| Bridgestone | BT56 | 120/70-17 | BT56 | 190/50-17 | 1997 on |
| Michelin | TX15 Hi Sport | 120/70-17 | TX25 Hi Sport | 190/50-17 | 1997 on |
| Metzeler | RCG | 120/70-17 | RCG | 190/50-17 | |



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



Daytona 955i from VIN 132513 Double sided swinging arm

| Manufacturer | Front | Size | Rear | Size | Model Year |
|--------------|-------------|-----------|-------------|-----------|------------|
| Bridgestone | BT010 | 120/70-17 | BT010 | 180/55-17 | 2001 on |
| Michelin | Pilot Sport | 120/70-17 | Pilot Sport | 180/55-17 | 2001 on |
| Pirelli | Dragon Evo | 120/70-17 | Dragon Evo | 180/55-17 | 2001 on |
| Metzeler | MEZ3 | 120/70-17 | MEZ3 | 180/55-17 | 2001 on |



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



Daytona 955i from VIN 132513 single sided swinging arm

| Manufacturer | Front | Size | Rear | Size | Model Year |
|--------------|------------|-----------|------------|-----------|------------|
| Bridgestone | BT010 | 120/70-17 | BT010 | 190/50-17 | 2002 on |
| Pirelli | Dragon Evo | 120/70-17 | Dragon Evo | 190/50-17 | 2002 on |
| Metzeler | MEZ3 | 120/70-17 | MEZ3 | 190/50-17 | 2002 on |



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



Speed Triple 955cc from VIN 141872

| Manufacturer | Front | Size | Rear | Size | Model Year |
|--------------|------------|-----------|------------|-----------|------------|
| Bridgestone | BT010 | 120/70-17 | BT010 | 190/50-17 | 2002 on |
| Pirelli | Dragon Evo | 120/70-17 | Dragon Evo | 190/50-17 | 2002 on |
| Metzeler | ME23 | 120/70-17 | ME23 | 190/50-17 | 2002 on |



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



Thunderbird Sport

| Manufacturer | Front | Size | Rear | Size | Model Year |
|--------------|-----------|-----------|-----------|-----------|-------------|
| Avon | AV27 | 120/70-17 | AV281 | 160/70-17 | 1998 - 1999 |
| Pirelli | Dragon GT | 120/70-17 | Dragon GT | 160/70-17 | 1998 - 1999 |
| Pirelli | MTR23 | 120/70-17 | MTR24 | 160/70-17 | 2000 |
| Metzeler | MEZ4B | 120/70-17 | MEZ4 | 160/70-17 | 2000 |



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



Legend TT

| Manufacturer | Front | Size | Rear | Size | Model Year |
|--------------|---------|-----------|---------|-----------|------------|
| Bridgestone | BT57 | 120/70-17 | BT57 | 160/60-17 | 1999 on |
| Michelin | M90X | 120/70-17 | M90X | 160/60-17 | 1999 on |
| Michelin | Macadam | 120/70-17 | Macadam | 160/60-17 | 1999 on |



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



Tiger 900 up to VIN 71698

| Manufacturer | Front | Size | Rear | Size | Model Year |
|--------------|---------------|-----------|---------------|-----------|-------------|
| Michelin | T66X | 110/80-19 | T66X | 140/80-17 | 1993 on |
| Pirelli | MT60 | 110/90-19 | MT60 | 140/80-17 | 1993 & 1994 |
| Dunlop | Trailmax | 110/90-19 | Trailmax | 140/80-17 | 1994 on |
| Bridgestone | Trailwing 101 | 110/80-19 | Trailwing 152 | 140/80-17 | 1995 on |
| Pirelli | MT60R | 110/80-19 | MT80RS | 140/80-17 | 1995 on |
| Metzeler | Enduro 4 | 110/80-19 | Enduro 4 | 140/80-17 | 1996 on |
| Pirelli | MT80R | 110/80-19 | MT80R | 140/80-17 | 1996 on |



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



Tiger 900 from VIN 71699

| Manufacturer | Front | Size | Rear | Size | Model Year |
|--------------|----------|-----------|----------|-----------|------------|
| Michelin | T66X | 180/80-19 | T66X | 150/70-17 | 1999 on |
| Metzeler | Enduro 4 | 180/80-19 | Enduro 4 | 150/70-17 | 1999 on |



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



Tiger 955cc up to VIN 198874

| Manufacturer | Front | Size | Rear | Size | Model Year |
|--------------|----------------------|-----------|----------------------|-----------|------------|
| Metzeler | Tourance | 110/80-19 | Tourance | 150/70-17 | 2001 on |
| Pirelli | MT90 | 110/80-19 | MT90 | 150/70-17 | 2001 on |
| Michelin | T66X | 110/80-19 | T66X | 150/70-17 | 2001 on |
| Bridgestone | Trailwing 101 Radial | 110/80-19 | Trailwing 152 Radial | 150/70-17 | 2001 on |



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



Tiger 955cc from VIN 198875

| Manufacturer | Front | Size | Rear | Size | Model Year |
|--------------|----------------------|-----------|----------------------|-----------|------------|
| Michelin | Anakee Radial | 110/80-19 | Anakee Radial | 150/70-17 | 2004 on |
| Bridgestone | Trailwing 101 Radial | 110/80-19 | Trailwing 152 Radial | 150/70-17 | 2004 on |



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



Daytona Super III

| Manufacturer | Front | Size | Rear | Size | Model Year |
|--------------|-------------|-----------|---------------|-----------|-------------|
| Dunlop | D364 | 120/70-17 | D364 | 180/55-17 | 1994 - 1995 |
| Bridgestone | BT50F | 120/70-17 | BT50 Radial G | 180/55-17 | 1994 on |
| Michelin | TX11 | 120/70-17 | TX23A | 180/55-17 | 1994 on |
| Michelin | TX11 | 120/70-17 | TX23B | 180/55-17 | 1994 - 1995 |
| Pirelli | MTR01 | 120/70-17 | MTR02 | 180/55-17 | 1995 on |
| Pirelli | MTR01 Corsa | 120/70-17 | MTR02 Corsa | 180/55-17 | 1995 on |
| Metzeler | MEZ1F | 120/70-17 | MEZ1 | 180/55-17 | 1995 on |
| Michelin | TX15 | 120/70-17 | TX25 | 180/55-17 | 1996 on |
| Metzeler | MEZ1R | 120/70-17 | MEZ1R | 180/55-17 | 1996 on |



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



Speed Triple 750

| Manufacturer | Front | Size | Rear | Size | Model Year |
|--------------|-----------------|-----------|-----------------|-----------|-------------|
| Michelin | 90X | 120/70-17 | 90X | 160/60-18 | 1996 - 1997 |
| Pirelli | MTR03 Dragon GT | 120/70-17 | MTR04 Dragon GT | 160/60-18 | 1996 - 1997 |



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



Speed Triple 900

| Manufacturer | Front | Size | Rear | Size | Model Year |
|--------------|---------------|-----------|---------------|-----------|-------------|
| Michelin | TX11 | 120/70-17 | TX23A | 180/55-17 | 1994 on |
| Bridgestone | BT50F | 120/70-17 | BT50 Radial G | 180/55-17 | 1994 on |
| Michelin | TX11 | 120/70-17 | TX23B | 180/55-17 | 1994 - 1995 |
| Dunlop | D203 Sportmax | 120/70-17 | D203 Sportmax | 180/55-17 | 1995 on |
| Michelin | TX15 | 120/70-17 | TX25 | 180/55-17 | 1996 |
| Pirelli | MTR01 Corsa | 120/70-17 | MTR02 Corsa | 180/55-17 | 1994 - 1996 |
| Metzeler | MEZ12 | 120/70-17 | MEZ1R | 180/55-17 | 1994 - 1996 |
| Pirelli | MTR01 | 120/70-17 | MTR02 | 180/55-17 | 1994 - 1996 |
| Metzeler | MEZ1 | 120/70-17 | MEZ1 | 180/55-17 | 1994 - 1996 |



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



Daytona 750

| Manufacturer | Front | Size | Rear | Size | Model Year |
|--------------|-------|-----------|-------|-----------|-------------|
| Michelin | TX11 | 120/70-17 | TX23 | 160/60-18 | 1991 - 1992 |
| Dunlop | K455F | 120/70-17 | K455A | 160/60-18 | 1991 - 1992 |



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



Daytona 1000

| Manufacturer | Front | Size | Rear | Size | Model Year |
|--------------|-------|-----------|-------|-----------|-------------|
| Michelin | TX11 | 120/70-17 | TX23 | 160/60-18 | 1991 - 1992 |
| Dunlop | K455F | 120/70-17 | K455A | 160/60-18 | 1991 - 1992 |



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



Daytona 900

| Manufacturer | Front | Size | Rear | Size | Model Year |
|--------------|-------------|-----------|----------------|-----------|-------------|
| Bridgestone | BT50F | 120/70-17 | BT50R | 160/60-18 | 1993 |
| Bridgestone | BT50F | 120/70-17 | BT50R Radial G | 180/55-17 | 1994 on |
| Dunlop | K455FG | 120/70-17 | K455A | 160/60-18 | 1993 |
| Michelin | TX11 | 120/70-17 | TX23A | 180/55-17 | 1994 |
| Michelin | TX11 | 120/70-17 | TX23B | 180/55-17 | 1994 - 1995 |
| Dunlop | D364 | 120/70-17 | D364 | 180/55-17 | 1994 - 1995 |
| Michelin | TX11A | 120/70-17 | TX23A | 180/55-17 | 1995 on |
| Pirelli | MTR01 | 120/70-17 | MTR02 | 180/55-17 | 1995 |
| Pirelli | MTR01 Corsa | 120/70-17 | MTR02 Corsa | 180/55-17 | 1995 |
| Metzeler | MEZ1F | 120/70-17 | MEZ1 | 180/55-17 | 1995 |
| Michelin | TX15 | 120/70-17 | TX25 | 180/55-17 | 1996 on |
| Metzeler | MEZiR | 120/70-17 | MEZ1R | 180/55-17 | 1996 on |



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



Daytona 1200

| Manufacturer | Front | Size | Rear | Size | Model Year |
|--------------|-------------|-----------|----------------|-----------|-------------|
| Bridgestone | BT50F | 120/70-17 | BT50R | 160/60-18 | 1993 |
| Bridgestone | BT50F | 120/70-17 | BT50R Radial G | 180/55-17 | 1994 on |
| Dunlop | K455FG | 120/70-17 | K455A | 160/60-18 | 1993 |
| Michelin | TX11 | 120/70-17 | TX23A | 180/55-17 | 1994 |
| Michelin | TX11 | 120/70-17 | TX23B | 180/55-17 | 1994 - 1995 |
| Dunlop | D364 | 120/70-17 | D364 | 180/55-17 | 1994 - 1995 |
| Michelin | TX11A | 120/70-17 | TX23A | 180/55-17 | 1995 on |
| Pirelli | MTR01 | 120/70-17 | MTR02 | 180/55-17 | 1995 |
| Pirelli | MTR01 Corsa | 120/70-17 | MTR02 Corsa | 180/55-17 | 1995 |
| Metzeler | MEZ1F | 120/70-17 | MEZ1 | 180/55-17 | 1995 |
| Michelin | TX15 | 120/70-17 | TX25 | 180/55-17 | 1996 on |
| Metzeler | MEZ1R | 120/70-17 | MEZ1R | 180/55-17 | 1996 on |



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



Rocket III & Rocket III Classic

| Manufacturer | Front | Size | Rear | Size | Model Year |
|--------------|-------|-----------|-------|-----------|------------|
| Metzeler | ME880 | 150/80-17 | ME880 | 240/50-16 | 2005 on |
| Bridgestone | | 150/18-17 | | 240/50-16 | 2005 on |



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



Rocket III Classic

| Manufacturer | Front | Size | Rear | Size | Model Year |
|--------------|-------|-----------|-------|-----------|------------|
| Metzeler | ME880 | 150/80-17 | ME880 | 240/50-16 | 2005 on |
| Bridgestone | | 150/18-17 | | 240/50-16 | 2005 on |



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



Sprint ST 1050cc

| Manufacturer | Front | Size | Rear | Size | Model Year |
|--------------|------------|-----------|------------|-----------|------------|
| Bridgestone | BT020 NN | 120/70-17 | BT020 NN | 180/55-17 | 2005 on |
| Metzeler | Roadtec Z6 | 120/70-17 | Roadtec Z6 | 180/55-17 | 2005 on |



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



Speed Triple 1050cc

| Manufacturer | Front | Size | Rear | Size | Model Year |
|--------------|-------------|-----------|-------------|-----------|------------|
| Michelin | Pilot Power | 120/17-17 | Pilot Power | 180/55-17 | 2005 on |
| Bridgestone | BT14 | 120/70-17 | BT14 | 180/55-17 | 2005 on |



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



Thruxton

| Manufacturer | Front | Size | Rear | Size | Model Year |
|--------------|-------|-----------|------|-----------|------------|
| Metzeler | ME33 | 100/90-18 | MEZ2 | 130/80-17 | 2005 on |



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



Daytona 675

| Manufacturer | Front | Size | Rear | Size | Model Year |
|--------------|------------------------|------------|------------------------|------------|------------|
| Pirelli | Dragon Super Corsa Pro | 120/70ZR17 | Dragon Super Corsa Pro | 180/55ZR17 | 2006 on |
| Michelin | Pilot Power | 120/70ZR17 | Pilot Power B | 180/55ZR17 | 2006 on |
| Bridgestone | BT014 G | 120/70ZR17 | BT014 G | 180/55ZR17 | 2006 on |



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



Trident 750 / 900

| Manufacturer | Front | Size | Rear | Size | Model Year |
|--------------|-----------------|-----------|-----------------|-----------|-------------|
| Dunlop | K455F | 120/70-17 | K455A | 160/80-18 | 1991 - 1995 |
| Michelin | A59X | 120/70-17 | M59X | 160/80-18 | 1991 on |
| Pirelli | MTR03 Dragon GT | 120/70-17 | MTR04 Dragon GT | 160/80-18 | 1991 on |
| Bridgestone | BT50F | 120/70-17 | BT50R | 160/80-18 | 1993 on |
| Michelin | 90X | 120/70-17 | 90X | 160/80-18 | 1993 on |



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



Sprint / Sport / Executive

| Manufacturer | Front | Size | Rear | Size | Model Year |
|--------------|-----------------|-----------|-----------------|-----------|-------------|
| Bridgestone | BT50F | 120/70-17 | BT50R | 160/80-18 | 1993 - 1994 |
| Dunlop | K455FG | 120/70-17 | K455A | 160/80-18 | 1993 - 1994 |
| Michelin | A59X | 120/70-17 | M59X | 160/80-18 | 1993 - 1994 |
| Pirelli | MTR03 Dragon GT | 120/70-17 | MTR04 Dragon GT | 160/80-18 | 1993 - 1994 |
| Michelin | 90X | 120/70-17 | 90X | 160/80-18 | 1993 - 1994 |
| Dunlop | D202J | 120/70-17 | D202G | 170/60-17 | 1995 - 1998 |
| Bridgestone | BT54F | 120/70-17 | BT54R | 170/60-17 | 1995 - 1998 |
| Pirelli | MTR03 | 120/70-17 | MTR04 | 170/60-17 | 1996 - 1998 |
| Metzeler | MEZ1F | 120/70-17 | MEZ2 | 170/60-17 | 1995 |
| Bridgestone | BT57F | 120/70-17 | BT57R | 170/60-17 | 1996 - 1998 |
| Metzeler | MEZ2 | 120/70-17 | MEZ2 | 170/60-17 | 1996 - 1998 |
| Michelin | Macadam 90X | 120/70-17 | Macadam 90X | 170/60-17 | 1996 - 1998 |



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



Scrambler

| Manufacturer | Front | Size | Rear | Size | Model Year |
|--------------|-------|-----------|------|-----------|------------|
| Bridgestone | TW101 | 100/90-19 | TW42 | 130/80-17 | 2005 on |



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.